Author Index

Albrecht, M., see Fraser, P.D. 645(1993)265
Al-Saeed, A., see Farkas, G. 645(1993)67
Altria, K.D., Walsh, A.R. and Smith, N.W.
Validation of a capillary electrophoresis method for the enantiomeric purity testing of fluparoxan 645(1993)193
Apazidou, K.K., see Bakola-Christianopoulou, M.N. 645(1993)293
Bakola-Christianopoulou, M.N., Papageorgiou, V.P. and Apazidou, K.K.
Gas chromatographic–mass spectrometric study of the reductive silylation of hydroxyquinones 645(1993)293
Barceló, D., see Chiron, S. 645(1993)125
Beeson, M.D., see Farkas, G. 645(1993)67
Belenkii, B.G., Podkladenko, A.M., Kurenbin, O.I., Mal'tsev, V.G., Nasledov, D.G. and Trushin, S.A.
Peculiarities of zone migration and band broadening in gradient reversed-phase high-performance liquid chromatography of proteins with respect to membrane chromatography 645(1993)1
Berthelot, P., see Vaccher, C. 645(1993)95
Biedermann, K., see Pedersen, J. 645(1993)353
Blank, C.L.R., see Ikarashi, Y. 645(1993)219
Brown, W.L., see Di Marco, M.P. 645(1993)107
Bullock, J.
Application of capillary electrophoresis to the analysis of the oligomeric distribution of polydisperse polymers 645(1993)169
Carrea, G., see Chiari, M. 645(1993)197
Chiari, M., Nesi, M., Carrea, G. and Righetti, P.G.
Determination of total vitamin C in fruits by capillary zone electrophoresis 645(1993)197
Chiesa, C. and Horváth, Cs.
Capillary zone electrophoresis of malto-oligosaccharides derivatized with 8-aminonaphthalene-1,3,6-trisulfonic acid 645(1993)337
Chiron, S. and Barceló, D.
Determination of pesticides in drinking water by on-line solid-phase disk extraction followed by various liquid chromatographic systems 645(1993)125
Collet, J., see Gonnord, M.F. 645(1993)327
Conforti, F.D., Harris, C.H. and Rinehart, J.T.
High-performance liquid chromatographic analysis of wheat flour lipids using an evaporative light scattering detector 645(1993)83
Cooper, D.A., see Moore, J.M. 645(1993)273
D'Agostino, P.A. and Provost, L.R.
Capillary column electron impact and ammonia chemical ionization gas chromatographic–mass spectrometric and gas chromatographic–tandem mass spectrometric analysis of mustard hydrolysis products 645(1993)283
Debaert, M., see Vaccher, C. 645(1993)95
De Felice, C., Hayakawa, K., Watanabe, T. and Tanaka, T.
High-performance gel-permeation chromatographic analysis of protein aggregation. Application to bovine carbonic anhydrase 645(1993)101
Del Rosario, A.R., see Dhoot, J.S. 645(1993)178
Dhoot, J.S. and Del Rosario, A.R.
Determination and confirmation of benomyl and carbendazim in water using high-performance liquid chromatography and diode array detection 645(1993)178
Di Marco, M.P., Evans, C.A., Dixit, D.M., Brown, W.L., Siddiqui, M.A., Tse, H.L.A., Jin, H., Nguyen-Ba, N. and Mansour, T.S.
High-performance liquid chromatographic determination of the isomeric purity of a series of dioxolane nucleoside analogues 645(1993)107
Dixit, D.M., see Di Marco, M.P. 645(1993)107
Dovichi, N.J., see Figeys, D. 645(1993)311
Elder, J.L., see Taylor, W.G. 645(1993)303
Emmrich, M., Kaiser, M., Rüden, H. and Sollinger, S.
Determination of RDX, 2,4,6-trinitrotoluene and other nitroaromatic compounds by high-performance liquid chromatography with photodiode-array detection 645(1993)89
Evans, C.A., see Di Marco, M.P. 645(1993)107
Evans, M.B.
High speed narrow bore capillary gas chromatography (by A. van Es) (Book Review) 645(1993)371
Farkas, G., Irgens, L.H., Quintero, G., Beeson, M.D., Al-Saeed, A. and Vigh, Gy.
Displacement chromatography on cyclodextrin silicas. IV. Separation of the enantiomers of ibuprofen 645(1993)67
Figeys, D. and Dovichi, N.J.
Mobility of single-stranded DNA as a function of cross-linker concentration in polyacrylamide capillary gel electrophoresis 645(1993)311
Fraser, P.D., Albrecht, M. and Sandmann, G.
Development of high-performance liquid chromatographic systems for the separation of radiolabelled carotenes and precursors formed in specific enzymatic reactions 645(1993)265
Furuya, K., see Inoue, H. 645(1993)259
Gmehling, J., see Meyer, T. 645(1993)135
Göhlin, K. and Larsson, M.
Study of polyorganosiloxanes (native and solvent swollen) for the preparation of narrow (5–15 μm I.D.) and long (1–6 m) open tubular columns in reversed-phase liquid chromatography 645(1993)41
Gonnord, M.F. and Collet, J.
Optimized capillary zone electrophoretic separation of chlorinated phenols 645(1993)327
Hage, D.S., see Yang, J. 645(1993)241
Harms, D., see Meyer, T. 645(1993)135
Harris, C.H., see Conforti, F.D. 645(1993)83
Hayakawa, K., see De Felice, C. 645(1993)101
Horváth, Cs., see Chiesa, C. 645(1993)337
Hsu, M.-C., see Lien, M.-H. 645(1993)362
Huang, B.-C., see Lien, M.-H. 645(1993)362
Huynh, T.K.X. and Lederer, M.
Adsorption chromatography on cellulose. X. Adsorption of tryptophan and derivatives from $CuSO_4$-containing eluents 645(1993)185

Author Index

Albrecht, M., see Fraser, P.D. 645(1993)265
Al-Saeed, A., see Farkas, G. 645(1993)67
Altria, K.D., Walsh, A.R. and Smith, N.W.
Validation of a capillary electrophoresis method for the enantiomeric purity testing of fluparoxan 645(1993)193
Apazidou, K.K., see Bakola-Christianopoulou, M.N. 645(1993)293
Bakola-Christianopoulou, M.N., Papageorgiou, V.P. and Apazidou, K.K.
Gas chromatographic–mass spectrometric study of the reductive silylation of hydroxyquinones 645(1993)293
Barceló, D., see Chiron, S. 645(1993)125
Beeson, M.D., see Farkas, G. 645(1993)67
Belenkii, B.G., Podkladenko, A.M., Kurenbin, O.I., Mal'tsev, V.G., Nasledov, D.G. and Trushin, S.A.
Peculiarities of zone migration and band broadening in gradient reversed-phase high-performance liquid chromatography of proteins with respect to membrane chromatography 645(1993)1
Berthelot, P., see Vaccher, C. 645(1993)95
Biedermann, K., see Pedersen, J. 645(1993)353
Blank, C.L.R., see Ikarashi, Y. 645(1993)219
Brown, W.L., see Di Marco, M.P. 645(1993)107
Bullock, J.
Application of capillary electrophoresis to the analysis of the oligomeric distribution of polydisperse polymers 645(1993)169
Carrea, G., see Chiari, M. 645(1993)197
Chiari, M., Nesi, M., Carrea, G. and Righetti, P.G.
Determination of total vitamin C in fruits by capillary zone electrophoresis 645(1993)197
Chiesa, C. and Horváth, Cs.
Capillary zone electrophoresis of malto-oligosaccharides derivatized with 8-aminonaphthalene-1,3,6-trisulfonic acid 645(1993)337
Chiron, S. and Barceló, D.
Determination of pesticides in drinking water by on-line solid-phase disk extraction followed by various liquid chromatographic systems 645(1993)125
Collet, J., see Gonnord, M.F. 645(1993)327
Conforti, F.D., Harris, C.H. and Rinehart, J.T.
High-performance liquid chromatographic analysis of wheat flour lipids using an evaporative light scattering detector 645(1993)83
Cooper, D.A., see Moore, J.M. 645(1993)273
D'Agostino, P.A. and Provost, L.R.
Capillary column electron impact and ammonia chemical ionization gas chromatographic–mass spectrometric and gas chromatographic–tandem mass spectrometric analysis of mustard hydrolysis products 645(1993)283
Debaert, M., see Vaccher, C. 645(1993)95
De Felice, C., Hayakawa, K., Watanabe, T. and Tanaka, T.
High-performance gel-permeation chromatographic analysis of protein aggregation. Application to bovine carbonic anhydrase 645(1993)101
Del Rosario, A.R., see Dhoot, J.S. 645(1993)178
Dhoot, J.S. and Del Rosario, A.R.
Determination and confirmation of benomyl and carbendazim in water using high-performance liquid chromatography and diode array detection 645(1993)178
Di Marco, M.P., Evans, C.A., Dixit, D.M., Brown, W.L., Siddiqui, M.A., Tse, H.L.A., Jin, H., Nguyen-Ba, N. and Mansour, T.S.
High-performance liquid chromatographic determination of the isomeric purity of a series of dioxolane nucleoside analogues 645(1993)107
Dixit, D.M., see Di Marco, M.P. 645(1993)107
Dovichi, N.J., see Figeys, D. 645(1993)311
Elder, J.L., see Taylor, W.G. 645(1993)303
Emmrich, M., Kaiser, M., Rüden, H. and Sollinger, S.
Determination of RDX, 2,4,6-trinitrotoluene and other nitroaromatic compounds by high-performance liquid chromatography with photodiode-array detection 645(1993)89
Evans, C.A., see Di Marco, M.P. 645(1993)107
Evans, M.B.
High speed narrow bore capillary gas chromatography (by A. van Es) (Book Review) 645(1993)371
Farkas, G., Irgens, L.H., Quintero, G., Beeson, M.D., Al-Saeed, A. and Vigh, Gy.
Displacement chromatography on cyclodextrin silicas. IV. Separation of the enantiomers of ibuprofen 645(1993)67
Figeys, D. and Dovichi, N.J.
Mobility of single-stranded DNA as a function of cross-linker concentration in polyacrylamide capillary gel electrophoresis 645(1993)311
Fraser, P.D., Albrecht, M. and Sandmann, G.
Development of high-performance liquid chromatographic systems for the separation of radiolabelled carotenes and precursors formed in specific enzymatic reactions 645(1993)265
Furuya, K., see Inoue, H. 645(1993)259
Gmehling, J., see Meyer, T. 645(1993)135
Göhlin, K. and Larsson, M.
Study of polyorganosiloxanes (native and solvent swollen) for the preparation of narrow (5–15 μm I.D.) and long (1–6 m) open tubular columns in reversed-phase liquid chromatography 645(1993)41
Gonnord, M.F. and Collet, J.
Optimized capillary zone electrophoretic separation of chlorinated phenols 645(1993)327
Hage, D.S., see Yang, J. 645(1993)241
Harms, D., see Meyer, T. 645(1993)135
Harris, C.H., see Conforti, F.D. 645(1993)83
Hayakawa, K., see De Felice, C. 645(1993)101
Horváth, Cs., see Chiesa, C. 645(1993)337
Hsu, M.-C., see Lien, M.-H. 645(1993)362
Huang, B.-C., see Lien, M.-H. 645(1993)362
Huynh, T.K.X. and Lederer, M.
Adsorption chromatography on cellulose. X. Adsorption of tryptophan and derivatives from $CuSO_4$-containing eluents 645(1993)185

Ikarashi, Y., Blank, C.L.R. and Maruyama, Y.
Binding characteristics of various neurochemicals to glassy carbon 645(1993)219
Imai, M., see Inoue, H. 645(1993)259
Imaoka, T., see Kondo, J. 645(1993)75
Inoue, H., Imai, M., Naemura, T., Furuya, K. and Shizuri, Y.
Preparation and determination of zinc(II) chlorophylls by reversed-phase high-performance liquid chromatography 645(1993)259
Inoue, S. and Ohtaki, N.
Pyrophosphates as biocompatible packing materials for high-performance liquid chromatography 645(1993)57
Irgens, L.H., see Farkas, G. 645(1993)67
Jackson, C. and Yau, W.W.
Computer simulation study of size-exclusion chromatography with simultaneous viscometry and light scattering measurements 645(1993)209
Janas, J., see Voelkel, A. 645(1993)141
Jin, H., see Di Marco, M.P. 645(1993)107
Kaiser, M., see Emmrich, M. 645(1993)89
Kawahara, Y., see Kondo, J. 645(1993)75
Kawasaki, T., see Kondo, J. 645(1993)75
Kennedy Keller, R. and Thompson, R.
Rapid synthesis of isoprenoid diphosphates and their isolation in one step using either thin layer or flash chromatography 645(1993)161
Kilár, F., see Westerberg, G. 645(1993)319
Klein, R.F.X., see Moore, J.M. 645(1993)273
Kondo, J., Imaoka, T., Kawasaki, T., Nakanishi, A. and Kawahara, Y.
Fluorescence derivatization reagent for resolution of carboxylic acid enantiomers by high-performance liquid chromatography 645(1993)75
Korman, M., Vindevogel, J. and Sandra, P.
Separation of codeine and its by-products by capillary zone electrophoresis as a quality control tool in the pharmaceutical industry 645(1993)366
Kram, T.C., see Moore, J.M. 645(1993)273
Krock, K.A., Ragunathan, N. and Wilkins, C.L.
Parallel cryogenic trapping multidimensional gas chromatography with directly linked infrared and mass spectral detection 645(1993)153
Krstulovic, A.M., see Lesellier, E. 645(1993)29
Kupchik, E.J.
Structure–gas chromatographic retention time models of tetra-*n*-alkylsilanes and tetra-*n*-alkylgermanes using topological indexes. A correction 645(1993)182
Kurenbin, O.I., see Belenkii, B.G. 645(1993)1
Lamard, M., see Verne-Mismer, J. 645(1993)251
Långström, B., see Westerberg, G. 645(1993)319
Larsson, M., see Göhlin, K. 645(1993)41
Lederer, M., see Huynh, T.K.X. 645(1993)185
Leonard, S.A., Wong, S.C. and Nyce, J.W.
Quantitation of 5-methylcytosine by one-dimensional high-performance thin-layer chromatography 645(1993)189
Lesellier, E., Tchapla, A. and Krstulovic, A.M.
Use of carotenoids in the characterization of octadecylsilane bonded columns and mechanism of retention of carotenoids on monomeric and polymeric stationary phases 645(1993)29
Lien, M.-H., Huang, B.-C. and Hsu, M.-C.
Determination of ascorbyl dipalmitate in cosmetic whitening powders by liquid chromatography 645(1993)362
Lundqvist, H., see Westerberg, G. 645(1993)319
Mal'tsev, V.G., see Belenkii, B.G. 645(1993)1
Mansour, T.S., see Di Marco, M.P. 645(1993)107
Maruyama, Y., see Ikarashi, Y. 645(1993)219
Meyer, T., Harms, D. and Gmehling, J.
Analysis of polyethylene glycols with respect to their oligomer distribution by high-performance liquid chromatography 645(1993)135
Miyano, S., see Oi, S. 645(1993)17
Moore, J.M., Cooper, D.A., Kram, T.C. and Klein, R.F.X.
Sensitive detection of nicotine after its novel perfluoroacylation and analysis using capillary gas chromatography–electron-capture detection 645(1993)273
Naemura, T., see Inoue, H. 645(1993)259
Nakanishi, A., see Kondo, J. 645(1993)75
Nasledov, D.G., see Belenkii, B.G. 645(1993)1
Nesi, M., see Chiari, M. 645(1993)197
Nguyen-Ba, N., see Di Marco, M.P. 645(1993)107
Nyce, J.W., see Leonard, S.A. 645(1993)189
Ohtaki, N., see Inoue, S. 645(1993)57
Oi, S., Shijo, M., Tanaka, H., Miyano, S. and Yamashita, J.
Chiral stationary phases consisting of axially dissymmetric 2′-substituted-1,1′-binaphthyl-2-carboxylic acids bonded to silica gel for high-performance liquid chromatographic separation of enantiomers 645(1993)17
Papageorgiou, V.P., see Bakola-Christianopoulou, M.N. 645(1993)293
Pedersen, J., Pedersen, M., Søeberg, H. and Biedermann, K.
Separation of isoforms of *Serratia marcescens* nuclease by capillary electrophoresis 645(1993)353
Pedersen, M., see Pedersen, J. 645(1993)353
Podkladenko, A.M., see Belenkii, B.G. 645(1993)1
Provost, L.R., see D'Agostino, P.A. 645(1993)283
Quintero, G., see Farkas, G. 645(1993)67
Ragunathan, N., see Krock, K.A. 645(1993)153
Righetti, P.G., see Chiari, M. 645(1993)197
Rinehart, J.T., see Conforti, F.D. 645(1993)83
Rosenzweig, Z. and Yeung, E.S.
Laser-based double beam absorption detector for high-performance liquid chromatography 645(1993)201
Rüden, H., see Emmrich, M. 645(1993)89
Sandmann, G., see Fraser, P.D. 645(1993)265
Sandra, P., see Korman, M. 645(1993)366
Satyanarayana Reddy, G., see Yeung, B. 645(1993)115
Shijo, M., see Oi, S. 645(1993)17
Shizuri, Y., see Inoue, H. 645(1993)259
Siddiqui, M.A., see Di Marco, M.P. 645(1993)107
Smith, N.W., see Altria, K.D. 645(1993)193
Søeberg, H., see Pedersen, J. 645(1993)353
Sollinger, S., see Emmrich, M. 645(1993)89
Stoev, G., see Uzunov, D. 645(1993)233
Tanaka, H., see Oi, S. 645(1993)17

Tanaka, T., see De Felice, C. 645(1993)101
Taylor, W.G., Vedres, D.D. and Elder, J.L.
Capillary gas chromatographic separation of some diastereomeric amides from carbonyldiimidazole-mediated microgram-scale derivatizations of the acid moiety of permethrin insecticide 645(1993)303
Tchapla, A., see Lesellier, E. 645(1993)29
Thompson, R., see Kennedy Keller, R. 645(1993)161
Trushin, S.A., see Belenkii, B.G. 645(1993)1
Tse, H.L.A., see Di Marco, M.P. 645(1993)107
Uzunov, D. and Stoev, G.
Some aspects of the enantiorecognition of derivatized primary amines on a Pirkle-type chiral stationary phase utilizing tocainide and mexiletine as model compounds 645(1993)233
Vaccher, C., Berthelot, P. and Debaert, M.
Direct separation of 4-amino-3-(4-chlorophenyl)butyric acid and analogues, $GABA_B$ ligands, using a chiral crown ether stationary phase 645(1993)95
Vedres, D.D., see Taylor, W.G. 645(1993)303
Verne-Mismer, J., Lamard, M. and Wagner, J.
Evaluation of deactivated reversed phases for the analysis of an N,N,N-trimethylethanaminium analogue of α-tocopherol. Application to its purity control and determination in biological samples 645(1993)251
Vigh, Gy., see Farkas, G. 645(1993)67
Vindevogel, J., see Korman, M. 645(1993)366
Voelkel, A. and Janas, J.
Solubility parameters of broad and narrow distributed oxyethylates of fatty alcohols 645(1993)141
Vouros, P., see Yeung, B. 645(1993)115
Wagner, J., see Verne-Mismer, J. 645(1993)251
Walsh, A.R., see Altria, K.D. 645(1993)193
Watanabe, T., see De Felice, C. 645(1993)101
Westerberg, G., Lundqvist, H., Kilár, F. and Långström, B.
β^+-Selective radiodetector for capillary electrophoresis 645(1993)319
Wilkins, C.L., see Krock, K.A. 645(1993)153
Wong, S.C., see Leonard, S.A. 645(1993)189
Yamashita, J., see Oi, S. 645(1993)17
Yang, J. and Hage, D.S.
Characterization of the binding and chiral separation of D- and L-tryptophan on a high-performance immobilized human serum albumin column 645(1993)241
Yau, W.W., see Jackson, C. 645(1993)209
Yeung, B., Vouros, P. and Satyanarayana Reddy, G.
Characterization of vitamin D_3 metabolites using continuous-flow fast atom bombardment tandem mass spectrometry and high-performance liquid chromatography 645(1993)115
Yeung, E.S., see Rosenzweig, Z. 645(1993)201